PAIN

Pain 113 (2005) 442–444

www.elsevier.com/locate/pain

Contents to Volume 113 (2005)

Numbers 1,2 – January 2005

EDITORIALS

Consensus on outcome measures for chronic pain trials
H. McQuay (UK) 1

The need for ecological validity in studies of pain and ethnicity
G.B. Rollman (Canada) 3

Role of cutpoints: why grade pain intensity?
K.O. Anderson (USA) 5

Attention and pain: merging behavioural and neuroscience investigations
C. Eccleston, G. Crombez (UK, Belgium) 7

TOPICAL REVIEW AND RECOMMENDATIONS

Core outcome measures for chronic pain clinical trials: IMMPACT recommendations
R.H. Dworkin, D.C. Turk, J.T. Farrar, J.A. Haythornthwaite, M.P. Jensen, N.P. Katz, R.D. Kerns, G. Stucki, R.R. Allen, N. Bellamy, D.B. Carr, J. Chandler, P. Cowan, R. Dionne, B.S. Galer, S. Hertz, A.R. Jadad, L.D. Kramer, D.C. Manning, S. Martin, C.G. McCormick, M.P. McDermott, P. McGrath, S. Quessy, B.A. Rappaport, W. Robbins, J.P. Robinson, M. Rothman, M.A. Royal, L. Simon, J.W. Stauffer, W. Stein, J. Tollett, J. Wernicke, J. Witter (USA, Germany, Australia, Canada) 9

RESEARCH PAPERS

Ethnic differences in responses to multiple experimental pain stimuli
C.M. Campbell, R.R. Edwards, R.B. Fillingim (USA) 20

Nociceptor-specific gene deletion using heterozygous $Na_V1.8$-Cre recombinase mice
L.C. Stirling, G. Forlani, M.D. Baker, J.N. Wood, E.A. Matthews, A.H. Dickenson, M.A. Nassar (UK) 27

Categorizing the severity of cancer pain: further exploration of the establishment of cutpoints
S.M. Paul, D.C. Zelman, M. Smith, C. Miaskowski (USA) 37

The joint contribution of physical pathology, pain-related fear and catastrophizing to chronic back pain disability
M.L. Peters, J.W.S. Vlaeyen, W.E.J. Weber (The Netherlands) 45

Activation of p38 MAPK in primary afferent neurons by noxious stimulation and its involvement in the development of thermal hyperalgesia
T. Mizushima, K. Obata, H. Yamanaka, Y. Dai, T. Fukuoka, A. Tokunaga, T. Mashimo, K. Noguchi (Japan) 51

Ketamine and postoperative pain – a quantitative systematic review of randomised trials
N. Elia, M.R. Tramèr (Switzerland) 61

The differential role of pain, work characteristics and pain-related fear in explaining back pain and sick leave in occupational settings
E.L.M. Gheldof, J. Vinck, J.W.S. Vlaeyen, A. Hidding, G. Crombez (Belgium, The Netherlands) 71

The development and preliminary validation of a brief measure of chronic pain impact for use in the general population
L.S. Ruehlman, P. Karoly, C. Newton, L.S. Aiken (USA) 82

Differential susceptibility of the PAG and RVM to tolerance to the antinociceptive effect of morphine in the rat
M.M. Morgan, C.C. Clayton, J.S. Boyer-Quick (USA) 91

Evidence for cortical hyperexcitability of the affected limb representation area in CRPS: a psychophysical and transcranial magnetic stimulation study
E. Eisenberg, A.V. Chistyakov, M. Yudashkin, B. Kaplan, H. Hafner, M. Feinsod (Israel) 99

Enhanced excitability of dissociated primary sensory neurons after chronic compression of the dorsal root ganglion in the rat
C. Ma, R.H. LaMotte (USA) 106

Tumor necrosis factor α and interleukin-1β stimulate the expression of cyclooxygenase II but do not alter prostaglandin E_2 receptor mRNA levels in cultured dorsal root ganglia cells
J.C. Fehrenbacher, T.H. Burkey, G.D. Nicol, M.R. Vasko (USA) 113

Block of native and cloned vanilloid receptor 1 (TRPV1) by aminoglycoside antibiotics
M. Raisinghani, L.S. Premkumar (USA) 123

Gender differences in pain modulation evoked by repeated injections of glutamate into the human trapezius muscle
H.-Y. Ge, P. Madeleine, L. Arendt-Nielsen (Denmark) 134

Acute stress-induced hypersensitivity to colonic distension depends upon increase in paracellular permeability: role of myosin light chain kinase
A. Ait-Belgnaoui, S. Bradesi, J. Fioramonti, V. Theodorou, L. Bueno (France, USA) 141

Electrically evoked itch in humans
A. Ikoma, H. Handwerker, Y. Miyachi, M. Schmelz (Japan, Germany) 148

doi:10.1016/S0304-3959(04)00612-8

PAIN

Pain 113 (2005) 442–444

www.elsevier.com/locate/pain

Contents to Volume 113 (2005)

Numbers 1,2 – January 2005

EDITORIALS

Consensus on outcome measures for chronic pain trials
H. McQuay (UK) 1

The need for ecological validity in studies of pain and ethnicity
G.B. Rollman (Canada) 3

Role of cutpoints: why grade pain intensity?
K.O. Anderson (USA) 5

Attention and pain: merging behavioural and neuroscience investigations
C. Eccleston, G. Crombez (UK, Belgium) 7

TOPICAL REVIEW AND RECOMMENDATIONS

Core outcome measures for chronic pain clinical trials: IMMPACT recommendations
R.H. Dworkin, D.C. Turk, J.T. Farrar, J.A. Haythornthwaite, M.P. Jensen, N.P. Katz, R.D. Kerns, G. Stucki, R.R. Allen, N. Bellamy, D.B. Carr, J. Chandler, P. Cowan, R. Dionne, B.S. Galer, S. Hertz, A.R. Jadad, L.D. Kramer, D.C. Manning, S. Martin, C.G. McCormick, M.P. McDermott, P. McGrath, S. Quessy, B.A. Rappaport, W. Robbins, J.P. Robinson, M. Rothman, M.A. Royal, L. Simon, J.W. Stauffer, W. Stein, J. Tollett, J. Wernicke, J. Witter (USA, Germany, Australia, Canada) 9

RESEARCH PAPERS

Ethnic differences in responses to multiple experimental pain stimuli
C.M. Campbell, R.R. Edwards, R.B. Fillingim (USA) 20

Nociceptor-specific gene deletion using heterozygous $Na_V1.8$-Cre recombinase mice
L.C. Stirling, G. Forlani, M.D. Baker, J.N. Wood, E.A. Matthews, A.H. Dickenson, M.A. Nassar (UK) 27

Categorizing the severity of cancer pain: further exploration of the establishment of cutpoints
S.M. Paul, D.C. Zelman, M. Smith, C. Miaskowski (USA) 37

The joint contribution of physical pathology, pain-related fear and catastrophizing to chronic back pain disability
M.L. Peters, J.W.S. Vlaeyen, W.E.J. Weber (The Netherlands) 45

Activation of p38 MAPK in primary afferent neurons by noxious stimulation and its involvement in the development of thermal hyperalgesia
T. Mizushima, K. Obata, H. Yamanaka, Y. Dai, T. Fukuoka, A. Tokunaga, T. Mashimo, K. Noguchi (Japan) 51

Ketamine and postoperative pain – a quantitative systematic review of randomised trials
N. Elia, M.R. Tramèr (Switzerland) 61

The differential role of pain, work characteristics and pain-related fear in explaining back pain and sick leave in occupational settings
E.L.M. Gheldof, J. Vinck, J.W.S. Vlaeyen, A. Hidding, G. Crombez (Belgium, The Netherlands) 71

The development and preliminary validation of a brief measure of chronic pain impact for use in the general population
L.S. Ruehlman, P. Karoly, C. Newton, L.S. Aiken (USA) 82

Differential susceptibility of the PAG and RVM to tolerance to the antinociceptive effect of morphine in the rat
M.M. Morgan, C.C. Clayton, J.S. Boyer-Quick (USA) 91

Evidence for cortical hyperexcitability of the affected limb representation area in CRPS: a psychophysical and transcranial magnetic stimulation study
E. Eisenberg, A.V. Chistyakov, M. Yudashkin, B. Kaplan, H. Hafner, M. Feinsod (Israel) 99

Enhanced excitability of dissociated primary sensory neurons after chronic compression of the dorsal root ganglion in the rat
C. Ma, R.H. LaMotte (USA) 106

Tumor necrosis factor α and interleukin-1β stimulate the expression of cyclooxygenase II but do not alter prostaglandin E_2 receptor mRNA levels in cultured dorsal root ganglia cells
J.C. Fehrenbacher, T.H. Burkey, G.D. Nicol, M.R. Vasko (USA) 113

Block of native and cloned vanilloid receptor 1 (TRPV1) by aminoglycoside antibiotics
M. Raisinghani, L.S. Premkumar (USA) 123

Gender differences in pain modulation evoked by repeated injections of glutamate into the human trapezius muscle
H.-Y. Ge, P. Madeleine, L. Arendt-Nielsen (Denmark) 134

Acute stress-induced hypersensitivity to colonic distension depends upon increase in paracellular permeability: role of myosin light chain kinase
A. Ait-Belgnaoui, S. Bradesi, J. Fioramonti, V. Theodorou, L. Bueno (France, USA) 141

Electrically evoked itch in humans
A. Ikoma, H. Handwerker, Y. Miyachi, M. Schmelz (Japan, Germany) 148

doi:10.1016/S0304-3959(04)00612-8

Social context and acceptance of chronic pain: the role of solicitous and punishing responses
L.M. McCracken (UK) 155
Characteristics of rectal perception are altered in irritable bowel syndrome
C.L. Kwan, N.E. Diamant, K. Mikula, K.D. Davis (Canada) 160
Acute and persistent pain modulation of attention-related anterior cingulate fMRI activations
A.L.H. Buffington, C.A. Hanlon, M.J. McKeown (USA, Canada) 172
Chronic hyperalgesic priming in the rat involves a novel interaction between cAMP and PKCε second messenger pathways
C.A. Parada, D.B. Reichling, J.D. Levine (USA) 185
A placebo-controlled randomized clinical trial of perioperative administration of gabapentin, rofecoxib and their combination for spontaneous and movement-evoked pain after abdominal hysterectomy
I. Gilron, E. Orr, D. Tu, J.P. O'Neill, J.E. Zamora, A.C. Bell (Canada) 191
Parent–child interactions among children with juvenile fibromyalgia, arthritis, and healthy controls
G.J. Reid, P.J. McGrath, B.A. Lang (Canada) 201
mGluR1 and mGluR5 antagonists in the amygdala inhibit different components of audible and ultrasonic vocalizations in a model of arthritic pain
J.S. Han, V. Neugebauer (USA) 211

CLINICAL NOTES

Thalamic thermo-algesic transmission: ventral posterior (VP) complex versus VMpo in the light of a thalamic infarct with central pain
C. Montes, M. Magnin, J. Maarrawi, M. Frot, P. Convers, F. Mauguière, L. Garcia-Larrea (Spain, France) 223
Central neuropathic itch from spinal-cord cavernous hemangioma: a human case, a possible animal model, and hypotheses about pathogenesis
D.D. Dey, O. Landrum, A.L. Oaklander (USA) 233

LETTERS TO THE EDITOR

Beyond dualism: the role of life stress in chronic pain
B. Van Houdenhove, P. Luyten (Belgium) 238
Beware somatization et al.
M.E. Lynch, A.J. Clark (Canada) 240
Distortion of the biopsychosocial approach
H. Merskey (Canada) 240
The prevention of post-surgical neuralgia
S.S. Reuben (USA) 242
Response to Reuben SS: "The prevention of post-surgical neuralgia"
E. Eisenberg (Israel) 243
Letter to the Editor of PAIN
E.N. Thompson (Canada) 244
Response letter regarding Thompson
F.W. Bach, T.S. Jensen, S.H. Sindrup, P.V. Rasmussen (Denmark) 245
Response to Thompson and Sterling
K.W. Greve, K.J. Bianchini (USA) 245

CORRIGENDUM

Corrigendum to "Venlafaxine extended release in the treatment of painful diabetic neuropathy: a double-blind, placebo-controlled study" [Pain 110 (2004) 697–706]
M.C. Rowbotham, V. Goli, N.R. Kunz, D. Lei (USA) 248

Number 3 – February 2005

EDITORIAL

Active self-management of chronic pain in the community
B.H. Smith, A.M. Elliott (UK) 249

TOPICAL REVIEW

Pharmacological treatment of peripheral neuropathic pain conditions based on shared commonalities despite multiple etiologies
P.T. Hansson, A.H. Dickenson (Sweden, UK) 251

RESEARCH PAPERS

The effects of racemic ketamine on painful stimulation of skin and viscera in human subjects
I.A. Strigo, G.H. Duncan, M.C. Bushnell, M. Boivin, I. Wainer, M.E. Rodriguez Rosas, J. Persson (Canada, USA, Sweden) 255
The effect on mechanical pain threshold over human muscles by oral administration of granisetron and diclofenac-sodium
N. Christidis, S. Kopp, M. Ernberg (Sweden) 265
Spinal noradrenaline transporter inhibition by reboxetine and Xen2174 reduces tactile hypersensitivity after surgery in rats
H. Obata, D. Conklin, J.C. Eisenach (North Carolina, Japan) 271

Overexpression of NGF or GDNF alters transcriptional plasticity evoked by inflammation
D.C. Molliver, J. Lindsay, K.M. Albers, B.M. Davis (USA) 277
Self-management of chronic pain: a population-based study
F.M. Blyth, L.M. March, M.K. Nicholas, M.J. Cousins (Australia) 285
Neonatal procedural pain exposure predicts lower cortisol and behavioral reactivity in preterm infants in the NICU
R.E. Grunau, L. Holsti, D.W. Haley, T. Oberlander, J. Weinberg, A. Solimano, M.F. Whitfield, C. Fitzgerald, W. Yu (Canada) 293
Pronociceptive role of dynorphins in uninjured animals: *N*-ethylmaleimide-induced nociceptive behavior mediated through inhibition of dynorphin degradation
K. Tan-No, H. Takahashi, O. Nakagawasai, F. Niijima, T. Sato, S. Satoh, S. Sakurada, Z. Marinova, T. Yakovleva, G. Bakalkin, L. Terenius, T. Tadano (Japan, Sweden) 301
Dimensions of catastrophic thinking associated with pain experience and disability in patients with neuropathic pain conditions
M.J.L. Sullivan, M.E. Lynch, A.J. Clark (Canada) 310
Rofecoxib attenuates both primary and secondary inflammatory hyperalgesia: a randomized, double blinded, placebo controlled crossover trial in the UV-B pain model
T. Sycha, S. Anzenhofer, S. Lehr, L. Schmetterer, B. Chizh, H.-G. Eichler, B. Gustorff (Austria, UK) 316
A trial of an activating intervention for chronic back pain in primary care and physical therapy settings
M. Von Korff, B.H.K. Balderson, K. Saunders, D.L. Miglioretti, E.H.B. Lin, S. Berry, J.E. Moore, J.A. Turner (USA) 323
Chronic spinal pain and physical–mental comorbidity in the United States: results from the national comorbidity survey replication
M. Von Korff, P. Crane, M. Lane, D.L. Miglioretti, G. Simon, K. Saunders, P. Stang, N. Brandenburg, R. Kessler (USA) 331
Significantly higher methadone dose for methadone maintenance treatment (MMT) patients with chronic pain
E. Peles, S. Schreiber, J. Gordon, M. Adelson (Israel) 340
Long-term effects of neonatal surgery on adulthood pain behavior
W.F. Sternberg, L. Scorr, L.D. Smith, C.G. Ridgway, M. Stout (USA) 347
Vagal stomach afferents inhibit somatic pain perception
O. Sedan, E. Sprecher, D. Yarnitsky (Israel) 354
Intravenous dextromethorphan to human volunteers: relationship between pharmacokinetics and anti-hyperalgesic effect
T.H. Duedahl, J. Dirks, K.B. Petersen, J. Romsing, N.-E. Larsen, J.B. Dahl (Denmark) 360
Confirmatory factor analysis of the Pain Catastrophizing Scale in African American and Caucasian Workers Compensation claimants with low back injuries
J.T. Chibnall, R.C. Tait (USA) 369
Intrathecal morphine and ketorolac analgesia after surgery: comparison of spontaneous and elicited responses in rats
T.J. Martin, Y. Zhang, N. Buechler, D.R. Conklin, J.C. Eisenach (USA) 376
Medium and large injured dorsal root ganglion cells increase TRPV-1, accompanied by increased α2C-adrenoceptor co-expression and functional inhibition by clonidine
W. Ma, Y. Zhang, C. Bantel, J.C. Eisenach (USA) 386
Increased nociceptive response in mice lacking the adenosine A_1 receptor
W.-P. Wu, J.-X. Hao, L. Halldner, C. Lövdahl, G.E. DeLander, Z. Wiesenfeld-Hallin, B.B. Fredholm, X.-J. Xu (Sweden, USA) 395
Activation of 5-HT_{1A} and 5-HT_7 receptors in the parafascicular nucleus suppresses the affective reaction of rats to noxious stimulation
S.E. Harte, R.G. Kender, G.S. Borszcz (USA) 405
Do high TSH values protect against chronic musculoskeletal complaints? The Nord-Trøndelag Health Study (HUNT)
K. Hagen, T. Bjøro, J.-A. Zwart, S. Svebak, G. Bovim, L.J. Stovner (Norway) 416

CLINICAL NOTES

SUNCT: bilateral hypothalamic activation during headache attacks and resolving of symptoms after trigeminal decompression
T. Sprenger, M. Valet, S. Platzer, V. Pfaffenrath, U. Steude, T.R. Tolle (Germany) 422
Extensive abscess formation after repeated paravertebral injections for the treatment of chronic back pain
W. Puehler, A. Brack, A. Kopf (Germany) 427

LETTER TO THE EDITOR

Pain
D. Bowsher (UK) 430

Author Index to Volume 113 431
Subject Index to Volume 113 435
Contents to Volume 113 442